

PUBLIC NOTICE
MASSACHUSETTS DEPARTMENT OF ENVIRONMENTAL PROTECTION
BUREAU OF WASTE PREVENTION

Central Regional Office
627 Main Street, Worcester, MA 01608
(508) 792-7650

Pursuant to Chapter 21, Section 43 of the General Laws, and 314 CMR 7.00 and 2.06, notice is given of the following application for a sewer connection permit and proposed actions thereon:

CITY/TOWN: Leominster

PROJECT NAME: Textile Manufacturing

APPLICANT: Claremont Flock Corporation

LOCATION: 107 Scott Drive

PURPOSE: Permit for Industrial Sewer User, BWP IW 38

TRANSMITTAL NO.: W213063

PROPOSED ACTION: Tentative Determination to Issue

The above application, and applicable laws, regulations, and procedures are available for inspection at the above address and on the MassDEP website <http://www.mass.gov/dep/public/publiche.htm>. Comments on the proposed actions or requests for a public hearing on the proposed actions must be sent in writing to the MassDEP address listed at the top of this notice within thirty (30) days of the date of publication of this PUBLIC NOTICE.

John F. Kronopolus
Section Chief
Bureau of Waste Prevention

Page 2 of 2

INSTRUCTIONS TO APPLICANT:

The above must be printed as a Legal Notice once at your expense. The notice may be printed in a newspaper of your choice but it must appear in a newspaper that has general circulation where your facility is located.

You must also file a copy of the Public Notice with the Secretary of the Commonwealth for publication in the Central Register, either by electronic mail to regs@sec.state.ma.us or by US Mail to Secretary of the Commonwealth, Regulation Division, Room 1613, One Ashburton Place, Boston, MA 02108.

An electronic copy of the notice as published in the newspaper shall be submitted to MassDEP at john.kronopolus@state.ma.us. The image must include the name and date of the newspaper and be no larger than 20 megabytes.

The enclosed Documentation of Public Notice Form shall also be completed and returned to the above address.



Massachusetts Department of Environmental Protection
Bureau of Waste Prevention – Industrial Wastewater
Documentation of Public Notice

Transmittal # _____



Facility ID# (if known) _____

Permit Code _____

DEP Use Only

Date Received _____

Important:
When filling out
forms on the
computer, use
only the tab key
to move your
cursor – do not
use the return
key.



A. Facility Information

1a. Facility Name _____

1b. Facility Address 1 _____

1c. Facility Address 2 _____

1d. City _____

1e. State _____

1f. Zip Code _____

B. Public Notice Information

Requirement: Notice of the facility's application for a BWP IW 38 or BWP IW 39 permit must be published in at least one newspaper of general circulation in the area of the facility or discharge.

1a. Newspaper Name _____

1b. Newspaper Address _____

1c. City _____

1d. State _____

1e. Zip Code _____

2. On what date was your public notice published in this newspaper? _____

Date

3. Have you submitted an electronic copy of the Public Notice as published in this newspaper to MassDEP?

☐ Yes

☐ No*

*If No, you must submit an electronic copy of the Public Notice as published in the newspaper to MassDEP **BEFORE** you can submit this form.

4. Did you file a copy of the notice with the Secretary of State for publication in the Central Register as per M.G.L. c. 30A, § 3?

☐ Yes

☐ No*

*If No, you must file a copy of the notice with the Secretary of State for publication in the Central Register **BEFORE** you can submit form.

5. Is your facility classified as a treatment, storage or disposal facility under the federal Resource Conservation & Recovery Act (RCRA)?

☐ Yes

☐ No*

*If No, skip to Section C.

Massachusetts
Register:
Secretary of the
Commonwealth,
State Publications
& Regulations Div.,
One Ashburton Pl.,
Rm. 1613,
Boston, MA 02108



Massachusetts Department of Environmental Protection
Bureau of Waste Prevention – Industrial Wastewater
Documentation of Public Notice

Transmittal # _____

Facility ID# (if known) _____

Permit Code _____

B. Public Notice Information (continued)

5a. In addition to publishing the notice in a local newspaper of general circulation, did you also broadcast the notice over local radio stations, as per 314 CMR 2.06(3)?

☐ Yes

☐ No*

* If No, you must broadcast the notice over local radio stations **BEFORE** you can submit this form. Skip to Section C.

5b. What radio stations did you use to broadcast your notice and when was the first broadcast on each?

Radio Station

Date of First Broadcast

1. Radio Station Call Letters _____

Date _____

2. Radio Station Call Letters _____

Date _____

3. Radio Station Call Letters _____

Date _____

4. Radio Station Call Letters _____

Date _____

C. Certification Statement

"I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment of knowing violations."

Printed Name of Applicant _____

Title _____

Signature of Applicant _____

Date Signed _____



Massachusetts Department of Environmental Protection
Bureau of Waste Prevention – Industrial Wastewater
BWP IW 38 & BWP IW 39
Permit for Industrial Sewer User

W213063
Transmittal Number

Facility ID# (if known)

DEP Use Only

Important Instructions for Completing This Form

Date Received

The questions on this form apply to existing and new facilities discharging industrial wastewater to sewers. If you are completing this form for an existing facility, answer the questions as they apply to its current status. If you are completing this form for a new facility, your answers will reflect your commitment to comply with the requirements as set forth in each question.

Existing facilities are defined as facilities in existence as of July 12, 2007. New facilities are defined as facilities constructed after July 12, 2007.

Answer all questions, except those that you are directed to skip. Please DO NOT answer questions that you are directed to skip

Permit Category (Select One)

☒ BWP IW 38: Industrial Sewer User in IPP POTW discharging more than 50,000 GPD

☐ BWP IW 39: Industrial Sewer User in Non-IPP POTW discharging more than 25,000 GPD

A. Facility Information

Important:
When filling out forms on the computer, use only the tab key to move your cursor - do not use the return key.



Claremont Flock Corp.
1a. Facility Name
107 Scott Drive

1b. Facility Address 1

1c. Facility Address 2
Leominster

1d. City
978-534-6191

1g. Phone Number
02-0119100

1i. Federal Employer Tax Identification Number (FEIN or TIN)

MA 01453
1e. State 1f. Zip Code
978-534-7332

1h. Fax Number

Mailing Address: ☒ Check here if same as Facility Address and skip to Contact Information.

2a. Mailing Address: Street or P.O. Box

2b. Mailing Address 2

2c. City

2d. State

2e. Zip Code

Contact Information:

Peter M. Hadley
3a. Contact Person Name
Vice President / Secretary

3b. Contact Person Title
978-534-6191

3c. Phone Number
Peterh@claremontflock.com

3e. Email Address

316

3d. Extension



Massachusetts Department of Environmental Protection
Bureau of Waste Prevention – Industrial Wastewater
BWP IW 38 & BWP IW 39
Permit for Industrial Sewer User

W213063

Transmittal Number

Facility ID# (if known)

B. Industrial Wastewater Information

1. Project Description (Check All That Apply)

☐ 1a. New Construction

☐ 1b. Permit Renewal

☐ 1c. Increasing Flow From Existing Connection

☐ 1d. New or Modified Industrial Wastewater Pretreatment System (IWPS)

☒ 1e. Existing Unpermitted Connection
(Constructed Before 7/12/07)

2. List, in descending order of significance, the Standard Industrial Classification (SIC) codes, which best describe the facility producing the discharge in terms of the principal products or services provided. Also, specify each classification title. (See Appendix B in the Instructions)

2a. SIC Code	2299	Description	textile manufacturing
2b. SIC Code		Description	
2c. SIC Code		Description	
2d. SIC Code		Description	

3. List all sewer connection(s) and their maximum daily flow(s) in gallons per day (GPD) from your facility going to the Publicly Owned Treatment Works (POTW):

	3a. Connection #	3b. Connection #	3c. Connection #	3d. Total Flow, All Connections
SANITARY	400			400
	GPD	GPD	GPD	GPD
INDUSTRIAL	186,000			186,000
	GPD	GPD	GPD	GPD
TOTAL	186,400			186,400
	GPD	GPD	GPD	GPD

4. Are you in compliance with the Massachusetts Historical Commission requirements?

☒ Yes

☐ No*

*If No, You Must Comply With Massachusetts Historical Commission Requirements **BEFORE** You Can Submit This Application.

5. Are you in compliance with Massachusetts Environmental Policy Act (MEPA) requirements?

☒ Yes

☐ No*

*If No, You Must Comply With MEPA Requirements **BEFORE** You Can Submit This Application.



Massachusetts Department of Environmental Protection
Bureau of Waste Prevention – Industrial Wastewater
BWP IW 38 & BWP IW 39
Permit for Industrial Sewer User

W213063

Transmittal Number

Facility ID# (if known)

B. Industrial Wastewater Information (continued)

6. Check all pollutants that are present in your industrial wastewater **before** pretreatment, or if not treated, before discharge:

☐ 6a. Metals, Asbestos, Cyanide, Phenols

If Metals, Asbestos, Cyanide, or Phenols are present, provide concentrations in milligrams per liter (mg/L):

1. Antimony (total) (Sb)	<0.100 mg/L	9. Nickel (total) (Ni)	<0.010 mg/L
2. Arsenic (total) (As)	<0.100 mg/L	10. Selenium (total) (Se)	<0.100 mg/L
3. Beryllium (total) (Be)	<0.001 mg/L	11. Silver (total) (Ag)	<0.020 mg/L
4. Cadmium (total) (Cd)	<0.004 mg/L	12. Thallium (total) (Tl)	<0.100 mg/L
5. Chromium (hexavalent)	.4415 mg/L	13. Zinc (total) (Zn)	.1655 mg/L
6. Chrome (total) (Cr)		14. Asbestos	
7. Copper (total) (Cu)	.0135 mg/L	15. Cyanide (total) (CN)	<0.01 mg/L
8. Lead (total) (Pb)	<0.040 mg/L	16. Phenols (total)	

☐ 6b. Toxic Pollutants (See Section 17B in the Instructions.)

If Toxic Pollutants are present, provide the total Toxic Pollutants concentration in micrograms per liter (ug/L):

6b1. Total Toxic Pollutants Concentration (ug/L)

NOTE: Use the **Toxic Pollutants Form** to list individual toxic chemicals and their concentrations.

☐ 6c. Total Petroleum Hydrocarbons (TPH) > 15 mg/L

☐ 6d. pH <5 and >10 Standard Units (S.U)

☐ 6e. Other*

*If Other Pollutants are present, describe them:



Massachusetts Department of Environmental Protection
Bureau of Waste Prevention – Industrial Wastewater
BWP IW 38 & BWP IW 39
Permit for Industrial Sewer User

W213063
Transmittal Number

Facility ID# (if known)

B. Industrial Wastewater Information (continued)

7. Is Mercury (Hg) present in your industrial wastewater **before** pretreatment, or if not treated, before discharge?

☐ Yes

☒ No*

*If No, skip to Question 8.

7a. If Yes, have you identified all possible mercury sources and taken all reasonable steps to eliminate the mercury?

☐ Yes*

☐ No

*If Yes, skip to Question 8.

7b. If No, explain why.

NOTE: As of May 1, 2009, all facilities must meet a discharge limit of 1 part per billion (ppb) for Mercury.

8. What is the name of the Publicly Owned Treatment Works (POTW) that receives your wastewater? (See Appendix C in the Instructions.)

Veolia Water Leominster WWTP
Name of POTW

9. Do you have a current sewer connection discharge permit or a current written approval issued by your local POTW? (See Section 17B in the Instructions.)

☒ Yes

☐ No*

*If No, you must obtain either a permit or, if a permit is not required, a written approval from your local POTW to discharge **BEFORE** you can submit this application.

If you have a permit, provide the following information, then skip to Question 10.

002
9a. Permit Number

1/1/2010
9b. Permit Expiration Date

If you have a written approval, provide the following information:

9c. Date of Approval Letter

9d. Name of Person Who Signed the Letter

10. Are your POTW and local Sewer Authority the same entity? (See Section 17B in the Instructions.)

☒ Yes*

☐ No

*If Yes, skip to Question 12.



Massachusetts Department of Environmental Protection
Bureau of Waste Prevention – Industrial Wastewater
BWP IW 38 & BWP IW 39
Permit for Industrial Sewer User

W213063
Transmittal Number

Facility ID# (if known)

B. Industrial Wastewater Information (continued)

11. Do you have a current sewer connection discharge permit or a current written approval issued by your local Sewer Authority? (See Section 17B in the Instructions.)

☐ Yes

☐ No*

If No, you must obtain either a permit or written approval from your local Sewer Authority to discharge **BEFORE** you can submit this application.

If you have a permit, provide the following information, then skip to Question 12.

11a. Permit Number

11b. Permit Expiration Date

If you have a written approval, provide the following information:

11c. Date of Approval Letter

11d. Name of Person Who Signed the Letter

12. Is your facility currently classified as a Categorical Industrial User (CIU) pursuant to Federal Regulations? (See Appendix D in the Instructions.)

☐ Yes

☒ No*

*If No, skip to Section C.

12a. List all the Categorical Pretreatment Standards applicable to your facility.

12a1. Part Number

Point Source Category

12a2. Part Number

Point Source Category

12a3. Part Number

Point Source Category

12a4. Part Number

Point Source Category

C. Industrial Wastewater Pretreatment System

1. Do you have an on-site industrial wastewater pretreatment system (IWPS) to treat your industrial wastewater?

☒ Yes

☐ No*

*If No, skip to Section D.

1a. How many IWPSs do you have?

Number

NOTE: If you have more than one IWPS, please use an **Additional IWPS Form** for each additional IWPS.

1b. Provide a unique identifier (i.e. name) for this IWPS:

Claremont Flock Corp. IWWTF
Identifier/Name



Massachusetts Department of Environmental Protection
Bureau of Waste Prevention – Industrial Wastewater
BWP IW 38 & BWP IW 39
Permit for Industrial Sewer User

Transmittal Number _____

Facility ID# (if known) _____

C. Industrial Wastewater Pretreatment System (continued)

1c. What is the Total Design Capacity of this IWPS?

500,000
Gallons Per Day

1d. What is the Average Daily Flow of this IPWS? (Estimate if this is a new facility.)

131,000
Gallons Per Day

1e. What is the Maximum Daily Flow of this IWPS? (Estimate if this is a new facility.)

186,000
Gallons Per Day

2. Is your IWPS designed and constructed to meet all local discharge standards and the applicable Categorical Industrial User (CIU) standards in 40 CFR Chapter I, Subchapter N?

☒ Yes

☐ No*

*If No, you must take immediate steps to address the non-compliance **BEFORE** you can submit this application.

3. Does this IWPS treat hazardous industrial wastewater or hazardous industrial wastewater sludge as defined in 314 CMR 7.02?

☐ Yes

☒ No*

*If No, skip to Question 12.

3a. Are you treating concentrated chemical baths, e.g. spent chemical baths, or off-specification products?

☐ Yes

☐ No*

*If No, skip to Question 4.

3b. If Yes, describe the concentrated chemical baths you are treating.

4. Does your IWPS meet the requirements of "treatment which is an integral part of the manufacturing process" as defined in 310 CMR 30.010?

☐ Yes*

☐ No

*If Yes, skip to Question 7.


5. Do you store hazardous industrial wastewater or hazardous industrial wastewater sludge that is generated in your IWPS or in your production processes, in tanks or containers?

Note: If you use in-ground tanks for storage of hazardous industrial wastewater or sludge and your IWPS is located in a Drinking Water Zone (see Section 17C of the Instructions; reference language in 310 CMR 30.605), you are not eligible to apply for a BWP IW 38 or BWP IW 39 permit. You must use form BWP IW 40 instead.

☐ Yes

☐ No*

*If No, skip to Question 7.



Massachusetts Department of Environmental Protection
Bureau of Waste Prevention – Industrial Wastewater
BWP IW 38 & BWP IW 39
Permit for Industrial Sewer User

W213063
Transmittal Number

Facility ID# (if known)

C. Industrial Wastewater Pretreatment System (continued)

6. Are you in compliance with the requirements for tanks and containers in 310 CMR 30.342 and 343? (See Section 17C in the Instructions)

☐ Yes

☐ No*

*If No, you must take immediate steps to address the non-compliance **BEFORE** you can submit this application.

7. Do you have a U.S. Environmental Protection Agency (EPA) hazardous waste generator identification number?

☐ Yes

☐ No*

*If No, skip to Question 7b.

7a. What is your EPA identification number?

Skip to Question 8.

EPA ID #

7b. Explain why you do not have an EPA identification number.

8. Do you have a visible sign in place that warns against unauthorized entry into the IWPS area?

☐ Yes*

☐ No

*If Yes, skip to Question 9.

8a. Explain why you do not have a visible sign in place.

9. Do you have the required spill containment for the IWPS? (See Section 17C in the Instructions.)

☐ Yes*

☐ No

*If Yes, skip to Question 10.

9a. Explain why you do not have the required spill containment.

10. Is your IWPS located on land subject to flooding from a 100-year storm? (See Section 17C in the Instructions.)

☐ Yes

☐ No*

*If No, skip to Question 12.



Massachusetts Department of Environmental Protection
Bureau of Waste Prevention – Industrial Wastewater

BWP IW 38 & BWP IW 39

Permit for Industrial Sewer User

W213063
Transmittal Number

Facility ID# (if known)

C. Industrial Wastewater Pretreatment System (continued)

11. Are you in compliance with the flood-proofing provisions in 310 CMR 30.701(2)? (See Section 17C in the Instructions.)

☐ Yes

☐ No*

*If Yes, skip to Question 12.

11a. Explain why you are not in compliance with the flood-proofing provisions in 310 CMR 30.701(2).

12. What type of IWPS do you have? (Check all that apply.)

☐ Fully Automated Industrial Wastewater Pretreatment System (FAIWPS)

☒ Continuous Discharge IWPS

☐ Batch IWPS

13. Is the IWPS exempt from classification? (See Section 17C in the Instructions.)

☐ Yes*

☒ No

*If Yes, skip to Question 14.

13a. What is the classification of this IWPS? (See 257 CMR 2.13: Classification of Wastewater Treatment Facilities.)

☐ Class 1I

☒ Class 2I

☐ Class 3I

☐ Class 4I

☐ Class 5 or 6C

☐ Class 1M

☐ Class 2M

☐ Class 3M

☐ Class 4M

13b. How was the IWPS' classification determined?

☐ In accordance with the requirements in 314 CMR 7.05(2)(g) 4. c. or d.

☒ By the Board of Certification of Operators of Wastewater Treatment Facilities

☐ Both

14. Is the IWPS staffed in accordance with the requirements of 314 CMR 7.05(2)(g) 5? (See Section 17C in the Instructions.)

☒ Yes*

☐ No

*If Yes, skip to Question 15.



Massachusetts Department of Environmental Protection
Bureau of Waste Prevention – Industrial Wastewater
BWP IW 38 & BWP IW 39
Permit for Industrial Sewer User

W213063
Transmittal Number
Facility ID# (if known)

C. Industrial Wastewater Pretreatment System (continued)

14a. Explain why the IWPS is not staffed in accordance with 314 CMR 7.05(2)(g) 5.

15. Is this your first permit application under Permit Category BWP IW 38 or BWP IW 39 for this IWPS? Or, is this application a request for modification of this IWPS that currently has a BWP IW 38 or BWP IW 39 permit?

☒ Yes*

☐ No

*If Yes, you need to submit as an attachment the process flow diagram and description of the principal treatment processes for your IWPS. Otherwise, skip to Question 17.

16. How many attachments are included with this application in response to Question 15?

2 - Attachments 1. and 2.
Number of Attachments

17. Have your sewer connection and IWPS been designed and constructed in compliance with the design and construction standards as set forth in 314 CMR 7.05(2)(g)3?

☒ Yes

☐ No*

*If No, skip to Question 17b.

17a. What is the Massachusetts Registered Professional Engineer (MAPE) signature date on the engineering plans?

Date

10/1/1971

Skip to Question 18.

17b. Explain why your sewer connection and IWPS have not been designed and constructed in compliance with the design and construction standards as set forth in 314 CMR 7.05(2)(g)3.

18. Provide the following information about the Massachusetts Registered Professional Engineer (MAPE) who reviewed, stamped, and signed your engineering plans:

Forrest S. Jones
18a. Name

1637

18c. Mass. P.E. License Number

18b. Phone Number

Registered Architect

18d. Mass. P.E. Specialty



Massachusetts Department of Environmental Protection
Bureau of Waste Prevention – Industrial Wastewater

BWP IW 38 & BWP IW 39

Permit for Industrial Sewer User

W213063
Transmittal Number

Facility ID# (if known)

C. Industrial Wastewater Pretreatment System (continued)

19. Do you have an IWPS operation and maintenance manual that complies with the procedures and other requirements in 314 CMR 7.05(2)(g)6.?

☒ Yes*

☐ No

*If Yes, skip to Question 20.

19a. Explain why you do not have the required IWPS operation and maintenance manual.

20. Are you keeping your IWPS operation and maintenance manual current?

☒ Yes

☐ No

21. Are you implementing your IWPS operation and maintenance manual?

☒ Yes

☐ No

D. Monitoring, Reporting & Recordkeeping

1. Are you keeping your currently effective sewer discharge permit(s), IWPS plan(s), and current operation and maintenance manual(s) (as applicable) on-site at all times?

☒ Yes*

☐ No

* If Yes, skip to Question 2.

1a. Explain why you are not keeping these records on-site at all times.


2. Are you keeping all your required records including your wastewater monitoring and analyses records, operation and maintenance records and logs, bills of lading, summary reports of all incidents requiring implementation of the safety plan, and hazardous waste manifests (as applicable) on-site for at least three years?

☒ Yes*

☐ No

* If Yes, skip to Question 3.

2a. Explain why you are not keeping these records on-site for at least three years.



Facility ID# (if known)

3. [Reserved for Toxics Reporting]

Additional reporting requirements will be added to this section in the future.

1. After carefully reviewing all of the general and specific prohibitions listed below, are you in compliance with these General and Specific Prohibitions?

☒ Yes*☐ No

*If Yes, read Section F and then complete Section G.

1a. Identify all the prohibitions you are not in compliance with and explain why. Attach an additional sheet of paper to this form, if necessary.

[illegible]



Massachusetts Department of Environmental Protection
Bureau of Waste Prevention – Industrial Wastewater
BWP IW 38 & BWP IW 39
Permit for Industrial Sewer User

W213063
Transmittal Number

Facility ID# (if known)

E. General & Specific Prohibitions (continued)

1. **General Prohibitions.** The permittee shall not:
 - a. Discharge, or cause to be discharged to a POTW, any substances, materials, or wastewater that may:
 - i. harm the sewers, POTW wastewater treatment process or equipment;
 - ii. have an adverse impact on the receiving waters; or
 - iii. otherwise create a nuisance or endanger public health, safety, or the environment.
 - b. Introduce pollutants into POTWs that pass through the POTW or interfere with its operation or performance.
 - c. Discharge wastewater or allow discharge of wastewater through any sewer connection that would result in a hazard to the public health or safety.
 - d. Discharge bypass wastewater or allow discharge of bypass wastewater through any sewer connection. If bypassing due to an emergency condition occurs, the Department and POTW shall be notified in accordance with 314 CMR 7.04(3). Such notification or its acknowledgement shall not be construed as permission by the Department or POTW to discharge bypass wastewater.
 - e. Discharge hazardous waste or allow the discharge of hazardous waste through any sewer connection.
2. **Specific Prohibitions.** The permittee shall not introduce into a POTW or its wastewater collection system the following:
 - a. Pollutants which may create a fire, explosion, or other hazard in the POTW or its wastewater collection system.
 - b. Pollutants which may cause corrosive structural damage to the POTW or its wastewater collection system. In no case shall discharges with a pH lower than 5.0 Standard Unit (S.U) or more than 10.0 S.U. be allowed, unless the local limit allows such discharges.
 - c. Solid or viscous pollutants in amounts which may cause obstruction to the flow in the POTW or its wastewater collection system or may result in interference.
 - d. Any pollutant, including oxygen-demanding pollutants, discharged at a flow rate or pollutant concentration that will cause interference with the POTW or its wastewater collection system.
 - e. Heat in amounts which may inhibit biological activity in the POTW, resulting in interference. In no case shall heat in such quantities that the temperature at the POTW treatment plant exceeds 40° C (104° F) be discharged, unless the Department, upon request of the POTW, approves alternate temperature limits.

F. Additional Conditions

- a. All discharges shall be in compliance with the terms and conditions of this permit. The discharge of any wastewater at a level in excess of that identified and authorized by this permit shall constitute a violation of the terms and conditions of this permit. Such a violation may result in the imposition of civil and/or criminal penalties as provided for in M.G.L. c.21, Section 42.
- b. After notice and opportunity for a hearing, this permit may be modified, suspended, or revoked in whole or in part during its term for cause including, but not limited to, the following:
 - i. Violation of any terms or conditions of the permit;
 - ii. Obtaining a permit by misrepresentation or failure to disclose fully all relevant facts; or
 - iii. A change in conditions or the existence of a condition, which requires either a temporary or permanent reduction, or elimination of the authorized discharge.
- c. The issuance of this permit does not convey any property rights in either real or personal property, or any exclusive privileges; nor does it authorize or relieve the permittee of any liability for any injury to private property or any invasion of personal rights; nor any infringement of Federal, State, or local laws or regulations; nor does it waive the necessity of obtaining any local assent required by law for the discharge authorized herein by the Department.
- d. The provisions of this permit are severable, and the invalidity of any condition or subdivision thereof shall not make void any other condition or subdivision thereof.

CONTINUED >



Massachusetts Department of Environmental Protection
Bureau of Waste Prevention – Industrial Wastewater
BWP IW 38 & BWP IW 39
Permit for Industrial Sewer User

W213063
Transmittal Number

Facility ID# (if known)

F. Additional Conditions (continued)

- e. All information and data provided by an applicant or a permittee identifying the nature and frequency of a discharge shall be available to the public without restriction. All other information (other than effluent data) which may be submitted by an applicant in connection with a permit application shall also be available to the public unless the applicant or permittee is able to demonstrate that the disclosure of such information or particular part thereof to the general public would divulge methods or processes entitled to protection as trade secrets in accordance with the provisions of M.G.L. c.21, Section.27(7). Where the applicant or permittee is able to so demonstrate, the Department shall treat the information or the particular part (other than effluent data) as confidential and not release it to any unauthorized person. Such information may be divulged to other officers, employees, or authorized representatives of the Commonwealth or the United States Government concerned with the protection of public water or water supplies.
- f. Transfer of Permits. Any sewer system connection permit authorizing an industrial discharge to a sewer system is only valid for the person to whom it is issued, unless prior to transfer:
- i. The current permittee notifies the Department in writing at least 30 days in advance of the proposed transfer date; and
- ii. The notice includes a written agreement between the existing and new permittees containing a specific date for transfer of permit responsibilities, and liability to the new permittee.
- g. This permit authorizing the discharge expires five (5) years from the date of issuance. The permittee shall apply for a renewal of this permit at least ninety (90) days prior to the expiration date, in accordance with 314 CMR 7.09(3)(b) for continued lawful discharges beyond the expiration date.
- h. All solids, sludge, filter backwash, or other pollutants removed in the course of treatment or control of wastewaters shall be collected, treated, and disposed of in accordance with applicable provisions in the following:
- i. Hazardous waste regulations (310 CMR 30.000).
- ii. Solid waste regulations (310 CMR 19.00).
- iii. Sewer discharge regulations (314 CMR 7.00).
- iv. Any other applicable federal, state and local laws.
- i. All samples shall be analyzed by a Massachusetts Certified Laboratory.
- j. The permittee shall provide the Department, and the Department's employees, authorized representatives and contractors, access at to the facility at all reasonable times, including during wastewater treatment system operation or wastewater discharge, for purposes of conducting activities related to oversight of this permit, including inspections to monitor compliance with the terms herein. The permittee shall allow the Department to obtain information related to compliance with the requirements of this permit. Notwithstanding any provision of this permit, the Department retains all of its access authorities and rights under applicable state and federal law.

COMPLETE SECTION G: CERTIFICATION STATEMENT ON NEXT PAGE >



Massachusetts Department of Environmental Protection
Bureau of Waste Prevention – Industrial Wastewater

BWP IW 38 & BWP IW 39

Permit for Industrial Sewer User

W213063

Transmittal Number

Facility ID# (if known)

G. Certification Statement

"I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true accurate, and complete. I certify that this facility is in compliance with all conditions and requirements of this permit, and all applicable statutes and regulations. I further certify that systems to maintain compliance are in place at the facility or unit and will be maintained even if processes or operating procedures are changed. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment of knowing violations."

(I will be responsible for publication of public notice of the applicable permit proceedings identified under 314 CMR 2.06(1)(a) through (d).)

Peter M. Hadley

Printed Name of Applicant

Vice President / Secretary

Title

Peter M. Hadley

Signature of Applicant

3/31/08

Date Signed

Craig Sylvestre

Name of Preparer

Training Coordinator

Title

978-534-6191 ex 337

Phone Number



Massachusetts Department of Environmental Protection
Bureau of Waste Prevention – Industrial Wastewater
BWP IW 38 & BWP IW 39
Permit for Industrial Sewer User

W213063

Transmittal Number

130973

Facility ID# (if known)

MassDEP Use Only

Special Conditions:

1. The permittee shall maintain compliance with the City of Leominster's sewer use requirements and the terms and conditions of any applicable wastewater discharge permits issued by the city.
2. The documents and materials attached to and referenced in the permit application are incorporated as part of the permit.

This document is a permit issued pursuant to Massachusetts General Laws, Chapter 21, Section 43 and Massachusetts regulations at 314 CMR 7.00. The permittee shall comply with all of the provisions contained in the permit application which are hereby incorporated and made part of this permit.

Date Issued

Permit Effective Date

Permit Expiration Date

Name of Regional BWP Section Chief

Signature

Attachment 1.

Treatment Description

Soda ash is used to maintain PH of 6-9. PH is monitored 24 hours a day 7 days a week by a Great Lakes PH probe with a Honeywell Circular chart recorder. The probe is cleaned as necessary and calibrated quarterly. The soda ash is gravity fed from a 1500 gallon bulk tank. The tank's valve is connected to the PH recorder and opens when the PH drops below 6.8. The valve shuts when the PH is 7.0 or above. The soda ash is fed into the 8 inch discharge pipe next to the settling tank inside the main building.

No other chemicals are added to the system.

The bar screen is to prevent stray fibers from entering the discharge pipe.

The aerated tanks are the equalization tanks.

Valve #1 NC and valve #2 NO are used to divert flow from the front aerated tank to the rear aerated tank when maintenance needs to be preformed.

The city sewer connection is located at the discharge sample shed.

Question B.3. should also be list at 186,000 gallons.

Waste water is discharged through a heat exchanger by suction pump via an 8 inch pipe to outside equalization and aeration tanks before being discharged to the city sewer.

Question B 12

We are not a categorical discharger because we do not manufacture the textiles we only change the characteristics. We receive synthetic fiber and cut the fiber. We also add chemical finish to give it electrostatic properties and in some cases dye the fiber.

- Notes:
- 1) Interpret Drawing Per ANSI Y 14.5
 - 2) All Pipes Are 8"

